

- NOTES THIS SHEET**
- ① DRAIN COLD WATER PIPE IN PREPARATION FOR NEW ISOLATION VALVE. REFER TO NEW WORK PLANS.
 - ② ACTIVE WASTE TO REMAIN IN OPERATION. SCHEDULE SHUT DOWN TO REPLACE AS REQUIRED.
 - ③ REMOVE ELECTRIC WATER HEATER APPROX. _____ GALLONS.
 - ④ REMOVE CONDENSATE PIPE AND CAP AT WALL OR FLOOR AS DOES APPLY.

SAW CUT NOTE:
CONTRACTOR SHALL SAW CUT, REMOVE & PATCH CONCRETE FLOOR AS REQUIRED TO PERFORM WORK INDICATED. PATCH FLOOR TO MATCH ADJACENT EXISTING CONDITIONS. CONTRACTOR SHALL VERIFY PIPE INVERTS PRIOR TO SAW CUTTING.

NOTE TO CONTRACTOR
ALL EXISTING PIPE TO REMAIN UNLESS OTHERWISE NOTED. DISPOSE OF ALL PIPE AND FIXTURES REMOVAL, UNLESS OTHERWISE NOTED.


NOTE TO CONTRACTOR:
INSULATED ETR PIPE IS NOT TO BE DISTURBED, CONTRACTOR SHALL REPAIR AND SEAL ANY INSULATION DAMAGED DURING CONSTRUCTION.

GLENN'S CAMPUS PLUMBING DEMOLITION FLOOR PLAN
SCALE: 3/16" = 1'-0"

ASBESTOS AND LEAD PAINT NOTE

AN ASBESTOS INSPECTION WAS PERFORMED AND ASBESTOS CONTAINING MATERIALS WERE FOUND GENERALLY IN THE AREAS INDICATED IN THE ASBESTOS SURVEY/INSPECTION REPORT WHICH IS AVAILABLE TO THE CONTRACTOR(S) FOR HIS INFORMATION. ASBESTOS CONTAINING MATERIALS HAVE BEEN REMOVED UNDER A SEPARATE CONTRACT.

A LEAD-BASED PAINT INSPECTION WAS PERFORMED AND LEAD-BASED PAINT WAS FOUND IN THE AREAS INDICATED. THE CONTRACTOR SHALL BE RESPONSIBLE WITH ALL REQUIREMENTS OF THE VIRGINIA OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION REGULATIONS LEAD-BASED PAINT PROTECTION OF WORKERS.



GRAPHIC SCALES

3/16" = 1'-0" 0' 5' 10' 20'

DATE: JANUARY 13, 2010

REVISIONS	
NO.	DATE

Large Collaborative
MECHANICAL ELECTRICAL PLUMBING
VIRGINIA REG. NO. 7754-0001-7223

COMMONWEALTH OF VIRGINIA
JOHN M. NEWELL
Lic. No. 035329
01-1316
PROFESSIONAL ENGINEER

Sheet
PD1.4G
File Number
9004

nbij ARCHITECTURE
A Professional Limited Company
GROVE PARK SQUARE
11537-B NUCKOLS ROAD
Richmond, Virginia 23069
☎ (804) 273-9611 fax: (804) 273-9843

nbij

**RAPPAHANNOCK
COMMUNITY COLLEGE
CAMPUS RENOVATIONS
WARSAW + GLENN'S, VIRGINIA
PC: 260-17712**

**GLENN'S CAMPUS PLUMBING
DEMOLITION FLOOR PLAN**

Date: JANUARY 13, 2010

REVISIONS	
NO.	DATE

COMMONWEALTH OF VIRGINIA
JOHN M. NEWELL
Lic. No. 035329
01-1316
PROFESSIONAL ENGINEER

Sheet
PD1.4G
File Number
9004